

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.10.2022	10000020576	Date of first issue: 04.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Product name	:	Körapox® BS 85 A
	Product code	:	0000000015046296
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Adhesive
	Recommended restrictions on use	:	For industrial use only.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	H.B. Fuller, Isar-Rakoll, S.A.
	Address	:	Estrada Nacional 13 PT-4486-851 Mindelo - Vila do Conde +351 229 288 200
	E-mail address of person responsible for the SDS	:	EU-MSDS@hbfuller.com
1.4	Emergency telephone numbe	er	
	Emergency telephone number		In case of poisoning: GBK-EMTEL International Tel.(24h): +49(0)6132/84463 (all languages) In case of transport accidents: Tel.(24h): (001) 352 323 3500 (Infotrac - Contract ID: 90373 / GBK)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.



_

ersion 0	Revision Date: 04.10.2022		DS Number: 0000002057		
Specific target organ toxicity - re exposure, Category 2		peated	H373: May cause damage to organs through pro- longed or repeated exposure.		
2 Label elements					
	lling (REGULATION (E	C)	No 1272/200	8)	
Haza	rd pictograms	:			
Signa	al word	:	Danger		
Haza	rd statements	:	H315 Ca H317 Ma H319 Ca	hly flammable liquid and vapour. uses skin irritation. y cause an allergic skin reaction. uses serious eye irritation. y cause damage to organs through prolonged or aposure.	
Preca	autionary statements	:	Preventior	:	
			flames and P233 Ke P260 Do P264 Wa P280 We	ep away from heat, hot surfaces, sparks, open other ignition sources. No smoking. ep container tightly closed. not breathe mist or vapours. sh skin thoroughly after handling. ar protective gloves/ protective clothing/ eye protec- rotection/ hearing protection.	
			Response P370 + P3	8 In case of fire: Use dry sand, dry chemical or	
	rdous components wh		n must be lis		
Phen	ol, 4,4'-(1-methylethylid	ene)bis-, polym	er with 2,2'-[(1-methylethylidene)bis(4,1-	

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1phenyleneoxymethylene)]bis[oxirane] Reaction mass of ethylbenzene and xylene

Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



VersionRevision Date:SDS Number:Date of last issue: -1.004.10.2022100000020576Date of first issue: 04.10.2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Phenol, 4,4'-(1- methylethylidene)bis-, polymer with 2,2'-[(1- methylethylidene)bis(4,1- phenyleneoxymeth- ylene)]bis[oxirane]	25036-25-3 682-390-8	Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 30 - < 50
Reaction mass of ethylbenzene and xylene	Not Assigned 905-588-0 01-2119488216-32- 0000	Flam. Liq. 3; H226 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 Asp. Tox. 1; H304 Acute Tox. 4; H312	>= 10 - < 20
butanone	78-93-3 201-159-0 606-002-00-3 01-2119457290-43- 0000	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066	>= 1 - < 10
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43- 0000	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 1 - < 10
titanium dioxide (Airborne, un- bound particles of respirable size)	13463-67-7 236-675-5 01-2119489379-17- 0000	Carc. 2; H351	>= 1 - < 10

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

If on clothes, remove clothes. Move the victim to fresh air. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may even occur after several hours;



Version 1.0	Revision Date: 04.10.2022	SDS Number: 100000020576	Date of last issue: - Date of first issue: 04.10.2022
		therefore me accident.	dical observation for at least 48 hours after the
If inhaled		medical atter	consciousness bring patient into stable side posi-
In case of skin contact		removing all	nediately with soap and plenty of water while contaminated clothes and shoes. on persists, call a physician.
In cas	e of eye contact		ith water at least 15 minutes. Get medical atten- tation develops or persists.
lf swa	llowed	Rinse mouth If conscious, Do NOT indu	drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Water mist Dry powder Carbon dioxide (CO2) Alcohol-resistant foam
Unsuitable extinguishing media	:	Water with a full water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-	:	May release toxic, irritating and/or corrosive gases.
fighting		In case of fire, the following substance(s) may occur:
		Nitrogen oxides
		Carbon monoxide



Version 1.0	Revision Date: 04.10.2022		DS Number: 0000020576	Date of last issue: - Date of first issue: 04.10.2022
Specia	for firefighters I protective equipment fighters	:	No special protec	tive measures against fire required.
Further information		:	Fire residues and be disposed of in Collect contamina	e, wear self-contained breathing apparatus. contaminated fire extinguishing water must accordance with local regulations. ated fire extinguishing water separately. This arged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :	 Remove all sources of ignition. Use personal protective equipment. Use breathing protection against the effects of fumes/dust/aerosol. Evacuate personnel to safe areas. Ensure adequate ventilation.
------------------------	---

6.2 Environmental precautions

Environmental precautions	:	The product should not be allowed to enter drains, water courses or the soil. Prevent the material from reaching sewage system, holes and cellars. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

:

Methods for cleaning up:Soak up with inert absorbent material (e.g. sand, silica gel,
acid binder, universal binder, sawdust).
Non-sparking tools should be used.
Ensure adequate ventilation.
Send for recovery or disposal in suitable containers.
Dispose of contaminated material as waste according to section 13.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid formation of dust and aerosols. Use only with adequate ventilation. Take note of emission threshold.



Ver 1.0	sion	Revision Date: 04.10.2022		DS Number: 00000020576	Date of last issue: - Date of first issue: 04.10.2022	
			Use solvent-proof equipment. Ensure that suitable extractors are available on processing machines. Handle with care. Keep eye wash bottle available on working place. Avoid release to the environment. Keep away from children.			
Advice on protection against : fire and explosion			:	Keep product and empty container away from heat and sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge. May form explosive mix- tures in air. Highly volatile, flammable constituents are re- leased during processing. In the event of fire and/or explosion do not breathe fumes. Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.		
7.2	Conditi	ons for safe storage,	inc	luding any incom	patibilities	
		ements for storage and containers	:	Keep dark, cool a	nd dry. Store in cool place.	
Further information on stor- : age conditions			:	ventilated place.	ightly closed in a dry, cool and well- Store in a cool place. Heat will increase y lead to the container exploding.	
7.3 Specific end use(s) Specific use(s)			No further relevar	nt information available.		
	Speen		•			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butanone	ne 78-93-3 STEL		300 ppm 900 mg/m3	2000/39/EC
	Further infor	mation: Indicative		
		TWA	200 ppm 600 mg/m3	2000/39/EC
	Further infor	mation: Indicative		
		STEL	300 ppm 900 mg/m3	MT OEL
		TWA	200 ppm 600 mg/m3	MT OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	



Version 1.0	Revision Date: 04.10.2022	SDS Number: 100000020576		Date of last issue: - Date of first issue: 04.10.2022
butan	one	Workers	Dermal	Long-term systemic 1161 mg/kg effects
		Workers	Inhalation	Long-term systemic 600 mg/kg effects
ethan	ol	Workers	Inhalation	Long-term systemic 950 mg/m3 effects
		Workers	Inhalation	Acute local effects 1900 mg/m3
		Workers	Dermal	Long-term systemic 343 mg/kg effects

8.2 Exposure controls

Engineering measures

Please take care on national and local requirements.

Personal protective equipment

Eye protection

: Tightly fitting safety goggles

Hand protection

Remarks : The glove material has to be impermeable and resistant to the product/the substance/the preparation. The exact break through time can be obtained from the protective glove producer and this has to be observed. The gloves need to be disposed after the penetration time and replaced by new ones. Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.
 For the permanent contact gloves made of the following materials are suitable: If longer exposure to the chemical preparation is necessary, a sturdu equivalence or product after is reasonmend.

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Barrier 02-100 underglove from Ansell or other suppliers (penetration time: 480 min).

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Butyl rubber (minimum thickness: 0.7 mm; penetration time: 15 min)

As protection from splashes gloves made of the following materials are suitable:

Nitril (minimum thickness 0.12 mm), Disposable gloves with long cuffs



Version 1.0	Revision Date: 04.10.2022	SDS Number: 100000020576	Date of last issue: - Date of first issue: 04.10.2022
			with the chemical preparation, take the dispos- ve off immediately and put on a new disposable
Skin	and body protection	: Protective clo	thing
Resp	iratory protection	tilation is prov exposures are In case of brie use breathing In case of inte ratus that is in	ry protection unless adequate local exhaust ven- ided or exposure assessment demonstrates that a within recommended exposure guidelines. of exposure or low pollution (exceeding of TLV) filter apparatus. ensive or longer exposure use breathing appa- idependent of circulating air. uitable extractors are available on processing
Prote	ctive measures	Instantly remo Wash hands I the product. Avoid contact	om food, drink and animal feedingstuffs. ove any soiled and impregnated garments. before breaks and immediately after handling with the eyes and skin. ve clothing separately.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	grey
Odour	:	solvent-like
Odour Threshold	:	is not determined
Melting point/freezing point	:	is not determined
Flash point	:	-4 °C
Auto-ignition temperature	:	is not determined
Decomposition temperature	:	Not applicable
рН	:	is not determined
Viscosity		
Viscosity, dynamic	:	4.500 mPa.s (23 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)



Version 1.0	Revision Date: 04.10.2022	SDS Number: 100000020576	Date of last issue: - Date of first issue: 04.10.2022			
	bility(ies) /ater solubility	: not miscible o	or difficult to mix			
	tion coefficient: n- nol/water	: no data availa	able			
Dens	sity	: 1,20 g/cm ³ (2	3 °C)			
Rela	tive vapour density	: is not determi	: is not determined			
9.2 Other information Explosives			explosive. However, formation of explosive stures is possible.			
Evap	poration rate	: is not determi	ned			

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available. **10.2 Chemical stability** No decomposition if used according to the specifications. 10.3 Possibility of hazardous reactions Hazardous reactions : Develops readily flammable vapours/fumes. 10.4 Conditions to avoid Conditions to avoid : No further relevant information available. 10.5 Incompatible materials Materials to avoid : No further relevant information available. **10.6 Hazardous decomposition products** No hazardous decomposition products are known. **SECTION 11: Toxicological information** 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Product:

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l



Versic 1.0	on	Revision Date: 04.10.2022		OS Number: 0000020576	Date of last issue: - Date of first issue: 04.10.2022			
				Exposure time: 4 Test atmosphere: Method: Calculati	vapour			
А	Acute dermal toxicity		:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method				
<u>C</u>	Compo	onents:						
R	Reactio	on mass of ethylbenz	zene	and xylene:				
		lermal toxicity		LD50 (Rat): 1.468	3 mg/kg			
e	ethano	ı.						
-	Acute inhalation toxicity		:	LC50 (Rat): 1.500 mg/l Exposure time: 4 h Test atmosphere: vapour				
C	Carcin	ogenicity						
<u>c</u>	Compo	onents:						
ti	itaniu	n dioxide (Airborne,	unt	ound particles of	respirable size):			
С	•			Not classifiable as a human carcinogen.				
11.2 lı	Inform	ation on other hazar	ds					
E	Endoc	rine disrupting prope	rtie	S				
Р	Produc	:t:						
	Assess		:	ered to have endo REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.			
SECT	SECTION 12: Ecological information							

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available



Versior 1.0	n	Revision Date: 04.10.2022		DS Number: 0000020576	Date of last issue: - Date of first issue: 04.10.2022	
12.4 M	obilit	y in soil				
<u>Product:</u> Mobility		:	Medium: Soil Remarks: Do not allow product to reach ground water, wate bodies or sewage system., Very toxic to aquatic organisms Toxic effects on fish and plankton, Danger to drinking water even extremely small quantities leak into soil.			
12.5 R	esult	s of PBT and vPvB a	sse	ssment		
<u>Pr</u>	roduc	<u>:t:</u>				
Assessment		:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.			
12.6 Eı	ndoc	rine disrupting prope	ertie	s		
Pr	roduc	<u>:t:</u>				
Assessment		:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.			
12 7 Of	ther a	adverse effects				
		a available				
SECT	ION [^]	13: Disposal consi	dera	ations		
13.1 W	laste	treatment methods				
Pr	roduct	t	:	Do not dispose of Hand over to disp The generation o wherever possible Incinerate under local and nationa Disposal must be	controlled conditions in accordance with all I laws and regulations. made according to official regulations.	
				waste accruing th Any waste produc substances (acco	code numbers are recommendations for arough the use of adhesives and sealants. ced from organic solvents or other dangerous ording GHS) listed under section 3 of this is itself classified as dangerous (*).	
				Waste accruing	during application:	

08 04 09* waste adhesives and sealants containing or-



Version 1.0	Revision Date: 04.10.2022	SDS Number: 100000020576	Date of last issue: - Date of first issue: 04.10.2022
		08 04 10	s or other dangerous substances waste adhesives and sealants other than ned in 08 04 09
		Waste accruing during cleaning:08 04 11*adhesive and sealant sludges contairganic solvents or other dangerous substances08 04 12adhesive and sealant sludges other thethose mentioned in 08 04 11	
		Waste packa 15 01 01 15 01 02 15 01 04 15 01 10* nated by dang	paper and cardboard packaging
Cont	aminated packaging	: Disposal mus	t be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

:	UN 1866
:	UN 1866
:	UN 1866
:	RESIN SOLUTION
:	RESIN SOLUTION
:	Resin solution
:	3
:	3
:	3
•	II F1 33 3 (D/E)

IMDG



Vers 1.0	ion	Revision Date: 04.10.2022		DS Number: 00000020576	Date of last issue: - Date of first issue: 04.10.2022
	Packin Labels EmS C		:	ll 3 F-E, <u>S-E</u>	
		Cargo) g group	:	ll Flammable Liquid	ds
	IATA_P (Passenger) Packing group Labels		:	II Flammable Liquid	ds
14.5 Environmental hazards					
	ADR Enviror	nmentally hazardous	:	no	
	IMDG Marine	pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		butan-1-ol formaldehyde (Number on list 72, 28)
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable



Versic 1.0	n	Revision Date: 04.10.2022		9S Number: 0000020576	Date of last issue: - Date of first issue: 04.10.2022
RoHS: 2011/65/EU, Restriction of Hazardous Substanc- : Not applicable es					
R (/	: Not applicable				
Seveso III: Directive 2012/18/EU of the Europe- P5c FLAMMABLE LIQUIDS an Parliament and of the Council on the control of major-accident hazards involving dangerous substances.					c FLAMMABLE LIQUIDS
V	/olatile	organic compounds	:		
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 29,24 %, 350,9				
Other regulations: Take note of Directive 94/33/EC on the protection of young people at work or stricter nationa regulations, where applicable. The components of this product are reported in the following inventories:				young people at work or stricter national	
				he following inventories:	
Т	SCA		:	All substances list	ed as active on the TSCA inventory
A	lic		:	On the inventory,	or in compliance with the inventory
D	SL		:	All components of	this product are on the Canadian DSL
Р	PICCS		:	On the inventory,	or in compliance with the inventory
IE	ECSC		:	On the inventory,	or in compliance with the inventory
R	REACH	I	:	On the inventory,	or in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.



VersionRevision Date:SDS Number:Date of last issue: -1.004.10.2022100000020576Date of first issue: 04.10.2022

SECTION 16: Other information

Full text of H-Statements			
H225		Highly flammable liquid and vapour.	
H226	÷	Flammable liquid and vapour.	
H304		May be fatal if swallowed and enters airways.	
H312	÷	Harmful in contact with skin.	
H315	÷	Causes skin irritation.	
H317	:	May cause an allergic skin reaction.	
H319	:	Causes serious eye irritation.	
H332	:	Harmful if inhaled.	
H335	:	May cause respiratory irritation.	
H336	:	May cause drowsiness or dizziness.	
H351	:	Suspected of causing cancer.	
H373	:	May cause damage to organs through prolonged or repeated	
		exposure.	
EUH066	:	Repeated exposure may cause skin dryness or cracking.	
Full text of other abbreviations			
Acute Tox.	:	Acute toxicity	
Asp. Tox.	:	Aspiration hazard	
Carc.	:	Carcinogenicity	
Eye Irrit.	:	Eye irritation	
Flam. Liq.	:	Flammable liquids	
Skin Irrit.	:	Skin irritation	
Skin Sens.	:	Skin sensitisation	
STOT RE	:	Specific target organ toxicity - repeated exposure	
STOT SE	:	Specific target organ toxicity - single exposure	
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first	
		list of indicative occupational exposure limit values	
MT OEL	:	Malta. Occupational Exposure Limits	
2000/39/EC / TWA	:	Limit Value - eight hours	
2000/39/EC / STEL	:	Short term exposure limit	
MT OEL / TWA	:	Long term exposure limit	
MT OEL / STEL	:	Occupational exposure limit value Short-term, 15 minute	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.10.2022	10000020576	Date of first issue: 04.10.2022

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information	:	5	nly contains information relating to lace any product information or prod-
Contact Point	:	Prepared by: Global Regulatory Department EU-MSDS@hbfuller.com	
Classification of the mixture	e:		Classification procedure:
Flam. Liq. 2	H22	25	Based on product data or assessment
Skin Irrit. 2	H31	5	Calculation method
Eye Irrit. 2	H31	9	Calculation method
Skin Sens. 1	H31	17	Calculation method
STOT RE 2	H37	73	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MT / EN